



Community education on climate change adaptation: a biproduct of integrated water resources management, in Durlung Basin Nepal

Sabita Aryal Khanna[✉], Rijan Bhakta Kayastha

Department of Environmental Science and Engineering, Kathmandu University, P. O. Box 6250KTM Nepal

✉Corresponding author:

Department of Environmental Science and Engineering
Kathmandu University,
P. O. Box 6250KTM
Nepal
Email: sabita@ku.edu.np

Article History

Received: 19 July 2016
Accepted: 12 August 2016
Published: October - December 2016

Citation

Sabita Aryal Khanna, Rijan Bhakta Kayastha. Community Education on Climate Change Adaptation: A Biproduct of Integrated Water Resources Management, in Durlung Basin Nepal. *Climate Change*, 2016, 2(8), 551-556

Publication License



© The Author(s) 2016. Open Access. This article is licensed under a [Creative Commons Attribution License 4.0 \(CC BY 4.0\)](https://creativecommons.org/licenses/by/4.0/).

General Note

 Article is recommended to print as color version in recycled paper. *Save Trees, Save Climate.*

ABSTRACT

The impacts of climate change on the water cycle are believed to have considerable consequences. Involvement of local government school on measurement of climatic variable such as temperature, humidity, rainfall, river water level etc. and publishing this information on public board has been able to proof a step to build capability on climate Change Adaptation. This process has boost

the people's consciousness about the change of water resource availability as well as change in climatic parameter which gets related to water ,agriculture, forest, trading and many more resources on which their livelihood is dependent on.

Keywords: Climate Change Adaptation, Integrated Water Resource Management, Community Partnership, School Involvement, Developing country

1. INTRODUCTION

Integrated Water Resources Management (IWRM) is a process which promotes the coordinated development and management of water, land and related resources in order to maximize economic and social welfare in an equitable manner without compromising the sustainability of vital ecosystems (1). IWRM consider the strengthening of human resources development in terms of awareness creation programs, training of water managers, the development of new institutions in a way to match the goal for effective information management, environment and development, the integration of water planning into national economy and financing and scientific means (2). Water is a key indicator to feel the climate change impacts such as floods, droughts etc. Floods and droughts are increasing apparently in many parts of the world and are already undermine farm yields and national harvests reducing household and national food availability, and agricultural income derived from crop sales. Adaptation to increase resilience to climate change is vital in order to reduce its impacts that are happening now and in the future. Human beings have got great level of adaptation quality but this studies in fact is an insufficiently studied part of the subject of climate change (3). Actions need to be taken to help communities and ecosystems to cope with the changing rainfall patterns and other extreme weather events. Improved understanding of communities' water resources will allow them for more efficient and flexible allocation systems and better investment in infrastructure, both to improve access to water and reduce risks from climate change. Keur et al. (2008) presented a common terminology that honors the most important aspects from natural and social sciences and is helpful to determine the strategies to better handle and manage uncertainties such as climate change in IWRM (4). Galaz (2007) addresses the lag between our growing understanding of resilient interconnected freshwater resources (and their governance) and the reforms being promoted by policy makers (5). Smithers and Smit (1997) recognize that the ecological property of systems mediates the effects characteristics of climatic events thus by understanding the ecological change in metaphysical parameter of climate change can guided for and different types of adaptation naturally (6). Adaptation as adaptive capacity (7, 8, and 9) or the ability or capacity of a system to modify or change its characteristics or behavior of a society so as to cope better with existing or anticipated external stresses which will reduce social vulnerability (10, 14). Public sector participation is encouraged in water resource development by the Nepal government through water resource policies an excellent example of this observed on Farmer Managed Irrigation System. Ostrom et.al (2011) highlighted that decision made by Farmers to farmers can build on an innovative intervention that not only provides physical improvements but also enhances farmers' problem-solving capacity. Overall, local institutions should be involved to manage and conserve natural resources (12).




Figure 1 Location map of Durlung River basin in Kavre and Lalitpur districts

Integrated Water Resources Management, in Durlung Basin Kavre, Nepal is an action research project awarded by the University Grant Commission, Nepal to Kathmandu University. To secure the objectives series of methods such as baseline survey, physical measurement of climatic parameters, capacity building and holistic problem solving through social interaction and institutionalization that also addresses livelihood issues has been implemented. One increasingly significant cross-cutting management issue is climate change adaptation in IWRM (13). This paper, therefore, seeks to review if IWRM implemented in Durlung River basin has possibilities to increase adaptive capacity to climate of the local inhabitants.

2. PROJECT AREA

The Durlung River basin of approximately 61 sq. km area is comprises with the total of Chamrnbesi VDC and some part of Milche VDC of Kavre District as well as some part of Thulo Durlung VDC, Chandanpur VDC and Kaleshor VDC, of Lalitpur District. It is located at foothills of Mahabharata range, altitude varies from 1000 m (*Dobhan Khola*) to 2336 m (*Go Bhangyang*) above sea level. Durlung River flows between Lalitpur and Kavre district and carry water from perennial tributaries like Polsing Khola, Ghatte Khola, Ratun Khola, Naman etc. are turbulent high current rivers.

Also the topography is very much friendly to use water for hydropower generation, irrigation and drinking and tourism etc. It comprises 2000 households. The basin is underdeveloped and remote it comprises of only 3 secondary schools and few primary schools.

3. BASELINE SURVEY

45 % of household surveyed from different VDCs, wards and settlements of Durlung watershed in a question to knowing and understanding of climate change term they said they do not know the term. Focus group discussion carried in 7 clusters and individual talk to key informant also revels of not been aware of climate change and climate change effect.



Figure 2 FGD in Jhingedanda cluster of Durlung Basin

This proof that the knowledge of habitant is poor towards the encroaching climate change effect for their livelihood. But they do experience some disaster such as cracks and rock fall, landslides, floods and crop failure (15). They also experience the intensity and occurrence of such event being increasing. Thus we can say there is climate change effect in the area. They do also experience other climatic variation such as rise and fall in temperature, early start of winter, foggy and longer winter then earlier, and shift of monsoon, prolonged and unexpected rain. This shows there is certainly change in their climate and thus causing crop failure and other uncertain disaster. It is important for the community to know and experience the shift in climatic variability and whether pattern to adjust themselves with change to reduce the disaster effect (16,17,18).

4. SCHOOL INVOLVEMENT

School participation was secured in the project. IWRM sensitization work shop and followed by the responsibilities to tract records of climatic and river data. Environmental club was formed in each higher secondary school and five motivated student are awarded with name "Environmental Alert" with some stationary support in their studies.

The challenge of measuring local data in IWRM is solved by using local school in coordination with village/ watershed level community association. Three manual stations equipped with rain gauge, thermometer and hygrometer were established in three secondary schools of the watershed area. For measuring water level of the river a staff gauge is prepared from locally available

materials (1 m) and installed in the river. Environmental alert and a teacher supervisor were given training and responsibility to measure rainfall, temperature, humidity in school premises and the reading of water level in the river. They further published daily data in a weather board placed in visible spot of the school. This has given ample opportunities for the students in school to learn and make other people at home to understand daily weather variation. Unless people become aware and capable of understanding and measuring the data from village it is impossible for them to plan for IWRM. If weather and climatic variation is understood by locals they can assimilate themselves in a way to save their crop and possible local disaster.



Figure 3 Manual measurement of rain (a) and river (b). Publication on whether board (c)



Figure 4 Various Meetings of DIWRMC

5. COMMUNITY PARTNERSHIP

A very wide range and people from different background has been linked with the project. Government personnel, Water and Energy Commission Secretariat (WECS), District Water Resource Management, Kavre and Lalitpur districts, Kathmandu University, Village Development Committees (VDCs), Durlung Integrated Water Resource Management Committee (DIWRMC) and various individuals are involved in the project. DIWRMC is a local level organization on water resource management; it was some sort of water parliament for the watershed, since it is formed by the member selected from water user group of each VDCs. A pillar of two ways participation from community level organization, such as Durlung Integrated Water Resource Management Committee (DIWRMC) to the governmental hierarchical organization of water resource management was observed. DIWRMC made sub group to draft the Constitution of the committee. In which various aspects such as possibilities for multiple uses of water resources (for drinking, fisheries, irrigation, recreation) for each cluster of habitation along with Pico and Micro hydro-power production points in the basin area are explained. Though climate change is not mention in the constitution but associated risks of water for the community are also identified. This suggests that communities are aware of change in the climate and effects on water resource.

DIWRMC also established a DAVIS Vantage Pro2 Automatic Weather Station (AWS) in Sano Durlung, Chamrangbesi VDC which records the weather parameters. As the console with display is placed in the house of local tea shop, it is visible for everyone to refer the daily temperature, relative humidity, solar radiation, wind speed and direction and rainfall. An explanation sheet was attached near the console so that enthusiastic local youth and villager can read the data and talk about the temperature viability not only in hot and cold reference but in degree centigrade. Nowadays this make them more aware of fluctuation weather parameters and equipped them to understand climate change in long run.



Figure 5 Automatic whether station

6. CONCLUSION

Uneducated local people are not aware of a term climate change and find no meaning of such quarries with them. But same time they are witness of the event of climate change. IWRM sensitization and participation on measuring climatic variable and water level of river make the student and their guardians aware of possibilities of change of climate and effect on water and then on land. It is extrapolated as the awareness may enhance their innovativeness to formulate adaptive mechanism. The term climate change and its effect were missing in the constitution of DIWRMC though the disaster management and risk minimization has been clearly mentioned. In all the process of IWRM pilot study at Durlung watershed, the term climate change is found to be implicit not the explicit.

ACKNOWLEDGEMENT

Sincere thanks to University Grant Commission (UGC) , the authority and staff of School of Arts, School of Science and School of Engineering Kathmandu University (KU), Water and Energy Secretariat (WECS) , Water Resource Management Committee (WRMC) of Kavre and Lalitpur district, Durlung Integrated Water Resource Committee (DIWRMC), all the team members, research associates, students, volunteers, friends, and family members.

REFERENCES

1. Global Water Partnership (GWP) <http://www.gwp.org/en/The-Challenge/What-is-IWRM/7/25/2015>
2. Radif, A. A. Integrated water resources management (IWRM): an approach to face the challenges of the next century and to avert future crises; Presented at the Conference on Desalination and the Environment, Las Palmas, Gran Canaria, November 9–12, 1999. European Desalination Society and the International Water Services Association. Copyright © 1999 Published by Elsevier B.V.
3. Berkes, F. and Jolly, D. Adapting to climate change: social-ecological resilience in a Canadian western Arctic community. *Conservation Ecology* 5(2): 18. [online] URL: <http://www.consecol.org/vol5/iss2/art18>
4. Keur, P. V.D., Henriksen H. J., Refsgaard J. C., Brugnach M., Pahl-Wostl C., Dewulf A., Buiteveld H. Identification of Major Sources of Uncertainty in Current IWRM Practice Illustrated for the Rhine Basin; *Water Resources Management*; November 2008, Volume 22, Issue 11, pp 1677-1708
5. Galaz V. Water governance, resilience and global environmental change – a reassessment of integrated water resources management (IWRM); *Water Science & Technology* Vol 56 No 4 pp 1–9 © IWA Publishing 2007 doi:10.2166/wst.2007.530; Stockholm Resilience Centre, Stockholm University, SE 106 91, Stockholm, Sweden (E-mail: victor.galaz@ctm.su.se)
6. Smithers J. and Smit B. Human adaptation to climatic variability and change; *Global Environmental Change*, Volume 7, Issue 2, July 1997, Pages 129–146; Copyright © 1997 Published by Elsevier Ltd.
7. Adger, W. N., Khan, S. R. and Brooks, N.) Measuring and enhancing adaptive capacity, *Adaptation Policy Framework: A Guide for Policies to Facilitate Adaptation to Climate Change*, UNDP 2003, (<http://www.undp.org/cc/apf-outline.htm>).
8. Burton, I., Huq, S., Lim, B., Pilifosova, O. and Schipper, E. L. From impacts assessment to adaptation priorities: the shaping of adaptation policies, *Climate Policy*, 2, 145-159, 2002
9. IPCC Climate change: Impacts, Adaptation and Vulnerability, Summary for Policymakers, WMO2001.
10. Brooks, N. Vulnerability, risk and adaptation: A conceptual framework ; 2003 Tyndall Centre Working Paper No. 38 available online at <http://www.tyndall.ac.uk/sites/default/files/wp38.pdf>
11. Ostrom, E. Lam, W.F., Pradhan P., and Shivakoti, G. Improving Irrigation in Asia: Sustainable Performance of an Innovative Intervention in Nepal. Edward Elgar Publishing Limited UK and Edward Elgar Publishing Inc. USA Copyright © Elinor Ostrom, Wai Fung Lam, Prachanda Pradhan, and Ganesh Shivakoti, (2011)
12. Gain, A. K., Rouillard, J. J., Benson, D. Can Integrated Water Resources Management Increase Adaptive Capacity to Climate Change Adaptation? A Critical Review" published by *Journal of Water Resource and Protection*, 2013 Vol.5 No.4A
13. Gunya, K. J., Participatory Watershed Management to Decrease Land Degradation and Sediment Transport in Kagera and Nyando Catchments of Lake Victoria basin. 2009. Masters Thesis, Linköping University.
14. Mesike CS, Ugwa IK, Esekade TU. Adaptation to climate change among rubber farmers in delta state, Nigeria. *Climate Change*, 2015, 1(2), 98-104
15. Kanhaiya Choudhary. Ensuring food security and effective climate Change mitigation through intensive community LED NRM interventions in the tribal regions of Western India. *Climate Change*, 2015, 1(4), 262-291
16. Biswanath Bishoi. Climate Smart Village: An assessment of Indian initiatives. *Climate Change*, 2016, 2(5), 1-10
17. Kinkini Dasgupta Misra. Women as agents of environmental change. *Climate Change*, 2016, 2(5), 34-43
18. Maheswari M. Technology Demonstration and Capacity Building on Climate Resilient Agriculture: NICRA Experiences. *Climate Change*, 2016, 2(5), 44-58